

A thoroughly field-tested and proven thaw unit for properly thawing semen at a constant rate of 95°-98° F through correct, accurate, and sensitive electronic control. Made of tough ABS non corrosive plastic, the unit will take a lot of abuse, but at the same time protect all of its working elements. Indicator lights show when the unit is ready to use, and when it is working and maintaining water bath at proper temperature. Complete with 6 ft. power cords and dual voltage power supply, lift out basket and thaw monitor. Available in standard model with Thaw Monitor or Digital Monitor.

CITO THAW MANUAL

Fahrenheit or Celsius Temperature Monition



LIFT OUT BASKET



THAW MONITOR



It is essential if you use the warm water thaw method. Easy to use, hold by corner and run water down the entire thermometer, adjusting water, until number is green within the safe zone. Included.

INSTRUCTION MANUAL

Included.



ITEM	DESCRIPTION	50-249	10-49	5-9	1-4
AI-CT-MAN-F	MANUAL THAW - WITH F TEMP. MONITOR	\$32.80	\$37.60	\$42.50	\$44.32
AI-CT-MAN-C	MANUAL THAW - WITH C TEMP. MONITOR	\$32.80	\$37.60	\$42.50	\$44.32



A thoroughly field-tested and proven thaw unit for properly thawing semen at a constant rate of 95°-98° F through correct, accurate, and sensitive electronic control. Made of tough ABS non corrosive plastic, the unit will take a lot of abuse, but at the same time protect all of its working elements. Indicator lights show when the unit is ready to use, and when it is working and maintaining water bath at proper temperature. Complete with 6 ft. power cords and dual voltage power supply, lift out basket and thaw monitor. Available in standard model with Thaw Monitor or Digital Monitor.

CITO THAW 12VDC - 120VAC Fahrenheit or Celsius Temperature Monitior





Power Supply Cord









LIFT OUT BASKET



THAW MONITOR



It is essential if you use the warm water thaw method. Easy to use, hold by corner and run water down the entire thermometer, adjusting water, until number is green within the safe zone. Included.

INSTRUCTION MANUAL

Included.



ITEM	DESCRIPTION	50-249	10-49	5-9	1-4
AI-CT-12-F	CITO THAW 12VDC - WITH F TEMP. MONITOR	\$125.65	\$143.60	\$161.55	\$179.45
AI-CT-12-C	CITO THAW 12VDC - WITH C TEMP. MONITOR	\$125.65	\$143.60	\$161.55	\$179.45
AI-CT-120-F	CITO THAW 12VDC-120VAC - WITH F TEMP. MON.	\$140.92	\$161.10	\$181.20	\$201.30
AI-CT-240-C	CITO THAW 12VDC-240VAC - WITH C TEMP. MON.	\$147.72	\$168.80	\$189.93	\$211.00



A thoroughly field-tested and proven thaw unit for properly thawing semen at a constant rate of 95°-98° F through correct, accurate, and sensitive electronic control. Made of tough ABS non corrosive plastic, the unit will take a lot of abuse, but at the same time protect all of its working elements. Indicator lights show when the unit is ready to use, and when it is working and maintaining water bath at proper temperature. Complete with 6 ft. power cords and dual voltage power supply, lift out basket and thaw monitor. Available in standard model with Thaw Monitor or Digital Monitor.

CITO THAW DIGITAL 12VDC-120VACFahrenheit or Celsius Temperature Read Out





Power Supply Cord







LIFT OUT BASKET

Ampul basket for Cito thaw included.

Included.



ITEM	DESCRIPTION	50-249	10-49	5-9	1-4
AI-CT-D-12-F	CITO THAW DIG. 12VDC - F TEMP. READ OUT	\$135.85	\$155.25	\$174.65	\$194.05
AI-CT-D-12-C	CITO THAW DIG. 12VDC - C TEMP. READ OUT	\$135.85	\$155.25	\$174.65	\$194.05
AI-CT-D-120-F	CITO THAW DIG. 12VDC-120VAC - F READ OUT	\$154.50	\$176.65	\$198.65	\$220.75
AI-CT-D-240-C	CITO THAW DIG. 12VDC-240VAC - C READ OUT	\$159.60	\$182.40	\$205.25	\$228.00